



TECHNICAL DATA AT A GLANCE

- *Touch Screen Line*
- *Hybrid Line*
- *Classic Line*
- *Industrial Line*
- *Electronic and Digital Data Storage
Device Shredders*
- *Ecological & Recycling Systems*

TOUCH SCREEN LINE

KOBRA 245 TS - Professional Touch Screen Deskside Shredders

Throat: 245 mm • Dimensions: 40 x 36 x 61 cm
Power: 500 W • 24 Hour continuous duty motor



Model	Article Code	Shred Size (mm)	Sheet Capacity*		Cabinet (liters)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material
			A4 70 gr	A4 80 gr			
Kobra 245 TS S5	99.892	5,8	27-29	22-24	40	P-2 O-2 T-2 E-2	
Kobra 245 TS S4	99.891	3,8	25-27	20-22	40	P-2 O-2 T-2 E-2	
Kobra 245 TS S4 SF Super Fast	99.902	3,8	14-16	11-13	40	P-2 T-2 E-2	
Kobra 245 TS C4	99.894	3,9 x 40	21-23	16-18	40	P-4 O-3 T-4 E-3 F-1	
Kobra 245 TS C2	99.893	1,9 x 15	11-13	9-11	40	P-5 T-5 E-4 F-2	
Kobra 245 TS HS	99.895	0,8 x 9,5	6-8	5-6	40	P-6 T-6 F-3	
Kobra 245 TS HS-6	99.896	0,8 x 5	4-5	3-4	40	P-7 F-3	
Options	Code	Description					Available for
Automatic Oiler	Art. Code + AO	Automatically lubricates cutting knives. 1 liter of Kobra oil included.					All cross-cut models.
Metal Detection System	Art. Code + MD	Detects metal presence to prevent damages to cutting knives.					All models (excluding SF).

* Capacity may vary on power supply, paper quality and lubrication of cutting knives

KOBRA 260 TS - Professional Touch Screen Medium Office Shredders

Throat: 260 mm • Dimensions: 40 x 36 x 100 cm
Power: 500 W • 24 Hour continuous duty motor



Model	Article Code	Shred Size (mm)	Sheet Capacity*		Cabinet (liters)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material
			A4 70 gr	A4 80 gr			
Kobra 260 TS S5	99.805	5,8	28-30	23-25	80	P-2 O-2 T-2 E-2	
Kobra 260 TS S4	99.800	3,8	26-28	21-23	80	P-2 O-2 T-2 E-2	
Kobra 260 TS C4	99.815	3,9 x 40	22-24	17-19	80	P-4 O-3 T-4 E-3 F-1	
Kobra 260 TS C2	99.810	1,9 x 15	12-14	10-12	80	P-5 T-5 E-4 F-2	
Kobra 260 TS HS	99.820	0,8 x 9,5	6-8	5-6	80	P-6 T-6 F-3	
Kobra 260 TS HS-6	99.825	0,8 x 5	4-5	3-4	80	P-7 F-3	
Options	Code	Description					Available for
CD/DVD Cutting Unit	Art. Code + CD	Separated cutting unit for CDs/DVDs/credit cards. Two distinct bins to separate paper from plastic shreds. Security Level O-1 T-2 E-2.					** Option on HS and HS-6 models.
Automatic Oiler	Art. Code + AO	Automatically lubricates cutting knives. 1 liter of Kobra oil included.					All cross-cut models.
Metal Detection System	Art. Code + MD	Detects metal presence to prevent damages to cutting knives.					All models.

* Capacity may vary on power supply, paper quality and lubrication of cutting knives

KOBRA TOUCH SCREEN LINE

KOBRA 270 TS - Professional Touch Screen Medium Office Shredders

Throat: 310 mm • Dimensions: 53 x 43 x 88 cm
Power: 500 W • 24 Hour continuous duty motor



Model	Article Code	Shred Size (mm)	Sheet Capacity*		Cabinet (liters)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material
			A4 70 gr	A4 80 gr			
Kobra 270 TS S5	99.835	5,8	30-32	24-26	110	P-2 O-2 T-2 E-2	
Kobra 270 TS S4	99.830	3,8	27-29	22-24	110	P-2 O-2 T-2 E-2	
Kobra 270 TS C4	99.845	3,9 x 40	24-26	19-21	110	P-4 O-3 T-4 E-3 F-1	
Kobra 270 TS C2	99.840	1,9 x 15	12-13	10-12	110	P-5 T-5 E-4 F-2	
Kobra 270 TS HS	99.850	0,8 x 9,5	8-10	7-8	110	P-6 T-6 F-3	
Kobra 270 TS HS-6	99.855	0,8 x 5	4-5	3-4	110	P-7 F-3	
Options	Code	Description					Available for
CD/DVD Cutting Unit	Art. Code + CD	Separated cutting unit for CDs/DVDs/credit cards. Two distinct bins to separate paper from plastic shreds. Security Level O-1 T-2 E-2.					** Option on HS and HS-6 models.
Automatic Oiler	Art. Code + AO	Automatically lubricates cutting knives. 1 liter of Kobra oil included.					All cross-cut models.
Metal Detection System	Art. Code + MD	Detects metal presence to prevent damages to cutting knives.					All models.

* Capacity may vary on power supply, paper quality and lubrication of cutting knives

KOBRA 310 TS - Professional Touch Screen Large Office Shredders

Throat: 330 mm • Dimensions: 53 x 43 x 107 cm
Power: 1200 W • 24 Hour continuous duty motor



Model	Article Code	Shred Size (mm)	Sheet Capacity*		Cabinet (liters)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material
			A4 70 gr	A4 80 gr			
Kobra 310 TS SS5	99.865	5,8	45-47	37-39	150	P-2 O-2 T-2 E-2	
Kobra 310 TS SS4	99.860	3,8	37-39	31-33	150	P-2 O-2 T-2 E-2	
Kobra 310 TS CC4	99.875	3,9 x 40	29-31	25-27	150	P-4 O-3 T-4 E-3 F-1	
Kobra 310 TS CC2	99.870	1,9 x 15	17-19	14-16	150	P-5 T-5 E-4 F-2	
Kobra 310 TS HS	99.880	0,8 x 9,5	11-13	10-11	150	P-6 T-6 F-3	
Kobra 310 TS HS-6	99.885	0,8 x 5	6-8	6-7	150	P-7 F-3	
Option	Code	Description					Available for
CD/DVD Cutting Unit	Art. Code + CD	Separated cutting unit for CDs/DVDs/credit cards. Security Level O-1 T-2 E-2.					** Option on HS and HS-6 models.
Automatic Oiler	Art. Code + AO	Automatically lubricates cutting knives. 1 liter of Kobra oil included.					Option on CC2 and CC4 models.
Metal Detection System	Art. Code + MD	Detects metal presence to prevent damages to cutting knives.					All models without Automatic Feeder.
Automatic Feeder	Art. Code + AF	Shred automatically up to 170 sheets.					Option on CC2, CC4, HS, HS-6 models.
Lockable Cover	Art. Code + LK	Lockable cover with security key.					All models with Automatic Feeder.

* Capacity may vary on power supply, paper quality and lubrication of cutting knives

KOBRA TOUCH SCREEN LINE



KOBRA 310 TS HD - Professional Touch Screen Heavy Duty Shredders

Throat: 330 mm • Dimensions: 53 x 43 x 107 cm
Power: 2600 W • 24 Hour continuous duty motor

Model	Article Code	Shred Size (mm)	Sheet Capacity*		Cabinet (liters)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material
			A4 70 gr	A4 80 gr			
Kobra 310 TS HD C4	99.905	3,9 x 40	54-56	48-50	150	P-4 O-3 T-4 E-3 F-1	
Kobra 310 TS HD C2	99.904	1,9 x 15	30-32	27-29	150	P-5 O-4 T-5 E-4 F-2	
Kobra 310 TS HD HS	99.906	0,8 x 9,5	20-22	18-20	150	P-6 O-5 T-6 E-5 F-3	
Kobra 310 TS HD HS-6	99.907	0,8 x 5	12	10	150	P-7 F-3	
Option	Code	Description					Available for
Metal Detection System	Art. Code + MD	Detects metal presence to prevent damages to cutting knives.					All models.

* Capacity may vary on power supply, paper quality and lubrication of cutting knives



KOBRA 410 TS - Professional Touch Screen High Capacity Shredders

Throat: 410 mm • Dimensions: 60 x 48 x 104 cm
Power: 2600 W • 24 Hour continuous duty motor

Model	Article Code	Shred Size (mm)	Sheet Capacity*		Cabinet (liters)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material
			A4 70 gr	A4 80 gr			
Kobra 410 TS S5	99.887	5,8	68-72	60-64	205	P-2 O-2 T-2 E-2	
Kobra 410 TS C4	99.886	3,9 x 40	54-56	48-50	205	P-4 O-3 T-4 E-3 F-1	
Kobra 410 TS C2	99.888	1,9 x 15	30-32	27-29	205	P-5 O-4 T-5 E-4 F-2	
Kobra 410 TS HS	99.889	0,8 x 9,5	20-22	18-20	205	P-6 T-6 F-3	
Kobra 410 TS HS-6	99.890	0,8 x 5	12	10	205	P-7 F-3	
Option	Code	Description					Available for
Metal Detection System	Art. Code + MD	Detects metal presence to prevent damages to cutting knives.					All models.
CD/DVD cutting unit	Art. Code + CD	Separated cutting unit for CDs/DVDs/credit cards. Security Level O-3 T-4 E-3.					Option on S5, C4, C2 models.
High Security CD/DVD cutting unit	Art. Code + CD HS	Separated cutting unit for CDs/DVDs/credit cards. 1,5x2 mm cross-cut. Security Level O-6 T-6 E-5.					** Option on HS and HS-6 models.

* Capacity may vary on power supply, paper quality and lubrication of cutting knives

KOBRA TOUCH SCREEN LINE



KOBRA 430 TS - Industrial Touch Screen Shredder with conveyor belt

Throat: 430 mm • Dimensions: 81 x 161 x 170 cm

Power: 4000 W • 24 Hour continuous duty motor

Model	Article Code	Shred Size (mm)	Sheet Capacity*		Cabinet (liters)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material
			A4 70 gr	A4 80 gr			
Kobra 430 TS C4	99.901	5,8 x 50	125-130	100-105	470	P-3 O-2 T-3 E-2 F-1	
Kobra 430 TS C2	99.943	1,9 x 15	60-65	50-55	470	P-5 O-4 T-5 E-4 F-2	

* Capacity may vary on power supply, paper quality and lubrication of cutting knives

HYBRID LINE

KOBRA HYBRID/HYBRID-S • Cross-cut Hybrid Deskside Office Shredder

Throat: 230 mm • Dimensions: 37 x 26 x 50 cm
Power: 170 W (Hybrid), 250 W (Hybrid-S)
24 Hour continuous duty motor

Hybrid
TECHNOLOGY



Model	Article Code	Shred Size (mm)	Sheet Capacity*		Bin (liters)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material
			A4 70 gr	A4 80 gr			
Kobra Hybrid	99.941	3,5 x 40	8-9	7-8	30	P-4 T-4 E-3 F-1	
Kobra Hybrid-S	99.942	3,5 x 40	12-14	10-12	30	P-4 T-4 E-3 F-1	

* Capacity may vary on power supply, paper quality and lubrication of cutting knives

Hybrid
TECHNOLOGY

KOBRA S6/S4/C4-HYBRID • Straight-cut and Cross-cut Hybrid Office Shredder

Throat: 240 mm • Dimensions: 39 x 30 x 59 cm
Power: 390 W • 24 Hour continuous duty motor



Model	Article Code	Shred Size (mm)	Sheet Capacity*		Bin (liters)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material
			A4 70 gr	A4 80 gr			
Kobra S6-Hybrid	99.952	5,8	26-28	24-26	40	P-2 O-2 T-2 E-2	
Kobra S4-Hybrid	99.951	3,8	20-22	18-20	40	P-2 O-2 T-2 E-2	
Kobra C4-Hybrid	99.953	3,5 x 40	15-17	14-15	40	P-4 O-3 T-4 E-3 F-1	

* Capacity may vary on power supply, paper quality and lubrication of cutting knives

CLASSIC LINE - AUTOMATIC FEEDER

KOBRA AF+1 - Professional shredder with automatic feeder (Oil-free)

Throat: 240 mm • Dimensions: 39 x 36 x 64 cm (40lt), 39 x 36 x 103 cm (80lt)
Power: 250 W • 24 Hour continuous duty motor



Model	Article Code	Shred Size (mm)	Sheet Capacity* Automatic Feed		Sheet Capacity* Manual Feed		Cabinet (liters)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material	
			A4 70 gr	A4 80 gr	A4 70 gr	A4 80 gr			Autom. feed	Manual feed
Kobra AF+1 40 liters	99.935	3,5 x 40	350	300	10-12	9-11	40	P-4 T-4 E-3 F-1		
Kobra AF+1 80 liters	99.936	3,5 x 40	350	300	10-12	9-11	80	P-4 T-4 E-3 F-1		

* Capacity may vary on power supply, paper quality and lubrication of cutting knives

KOBRA AF.1 - Professional shredder with automatic feeder

Throat: 260 mm • Dimensions: 53 x 43 x 109 cm
Power: 600 W • 24 Hour continuous duty motor



Model	Article Code	Shred Size (mm)	Sheet Capacity* Automatic Feed		Sheet Capacity* Manual Feed		Cabinet (liters)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material	
			A4 70 gr	A4 80 gr	A4 70 gr	A4 80 gr			Autom. feed	Manual feed
Kobra AF.1 C4 (Oil-free)	99.934	3,9 x 40	350	300	10-12	9-11	150	P-4 T-4 E-3 F-1		
Kobra AF.1 C2 (Auto-Oiler)	99.937	1,9 x 15	350	300	7-8	6-7	150	P-5 T-5 E-4 F-2		
Option	Code	Description							Available for	
Electronic combination lock	Art. Code + CLK	Protects documents from prying eyes of unauthorized persons while shredding.							All models.	

* Capacity may vary on power supply, paper quality and lubrication of cutting knives

KOBRA AF.2 COMPACTOR - Professional auto-feed/auto-compact shredder

Throat: 260 mm • Dimensions: 53 x 43 x 109 cm
Power: 1000 W • 24 Hour continuous duty motor



Model	Article Code	Shred Size (mm)	Sheet Capacity* Automatic Feed		Sheet Capacity* Manual Feed		Cabinet (liters)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material	
			A4 70 gr	A4 80 gr	A4 70 gr	A4 80 gr			Autom. feed	Manual feed
Kobra AF.2 COMPACTOR	99.944	3,9 x 40	400	350	10-12	9-11	150	P-4 T-4 E-3 F-1		
Option	Code	Description							Available for	
Electronic combination lock	Art. Code + CLK	Protects documents from prying eyes of unauthorized persons while shredding.							All models.	

* Capacity may vary on power supply, paper quality and lubrication of cutting knives

CLASSIC LINE



KOBRA C1 - Personal and desktop shredder

Throat: 230 mm • Dimensions: 34 x 20 x 50 cm
Power: 170 W • 24 Hour continuous duty motor

Model	Article Code	Shred Size (mm)	Sheet Capacity*		Bin (liters)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material
			A4 70 gr	A4 80 gr			
Kobra C1	99.320	3,5 x 40	8-9	7-8	18	P-4 T-4 E-3 F-1	

* Capacity may vary on power supply, paper quality and lubrication of cutting knives



KOBRA +1 - Personal and desktop shredders

Throat: 230 mm • Dimensions: 39 x 30 x 59 cm
Power: 250 W • 24 Hour continuous duty motor

Model	Article Code	Shred Size (mm)	Sheet Capacity*		Bin (liters)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material
			A4 70 gr	A4 80 gr			
Kobra+1 SS7	99.104	7,5	25-27	22-24	38,5	P-1 O-1 T-2 E-2	
Kobra+1 SS6	99.102	5,8	23-25	20-22	38,5	P-2 O-2 T-2 E-2	
Kobra+1 SS4	99.103	3,8	17-19	15-17	38,5	P-2 O-2 T-2 E-2	
Kobra+1 CC4	99.105	3,5 x 40	12-14	10-12	38,5	P-4 T-4 E-3 F-1	

* Capacity may vary on power supply, paper quality and lubrication of cutting knives



KOBRA +2 and KOBRA +3 - Office shredders with double set of cutting knives

Throat: 230 mm • Dimensions: 39 x 30 x 59 cm
Power: 250 W • 24 Hour continuous duty motor

Model	Article Code	Shred Size (mm)	Sheet Capacity*		Bin (liters)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material
			A4 70 gr	A4 80 gr			
Kobra+2 SS7	99.111	7,5	25-27	22-24	38,5+1,5	P-1 O-1 T-2 E-2	   **
Kobra+2 SS4	99.108	3,8	17-19	15-17	38,5+1,5	P-2 O-2 T-2 E-2	   **
Kobra+2 CC2	99.112	1,9 x 13	7-8	5-7	38,5+1,5	P-5 T-5 E-4 F-2	   +  **
Model	Article Code	Shred Size (mm)	Sheet Capacity*		Bin (liters)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material
			A4 70 gr	A4 80 gr			
Kobra+3 CC4	99.110	3,5 x 40	12-14	10-12	38,5+1,5	P-4 T-4 E-3 F-1	   +  **

* Capacity may vary on power supply, paper quality and lubrication of cutting knives.

** CD/DVD Cutting Unit: standard separate cutting unit. Security Level O-1 T-2 E-2.



KOBRA 240.1 - Small/medium office professional shredders

Throat: 240 mm • Dimensions: 40 x 36 x 64 cm
Power: 500 W • 24 Hour continuous duty motor

Model	Article Code	Shred Size (mm)	Sheet Capacity*		Cabinet (liters)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material
			A4 70 gr	A4 80 gr			
Kobra 240.1 S5	99.910	5,8	29-31	25-27	40	P-2 O-2 T-2 E-2	
Kobra 240.1 S4	99.909	3,8	24-26	20-22	40	P-2 O-2 T-2 E-2	
Kobra 240.1 S2	99.908	1,9	13-15	11-13	40	P-3 T-3 E-2	
Kobra 240.1 C4	99.912	3,5 x 30	15-17	13-15	40	P-4 O-3 T-4 E-3 F-1	
Kobra 240.1 C2	99.911	1,9 x 15	10-12	9-11	40	P-5 T-5 E-4 F-2	
Kobra 240.1 HS	99.913	0,8 x 9,5	6-8	5-6	40	P-6 T-6 F-3	
Kobra 240.1 HS-6	99.914	0,8 x 5	4-5	3-4	40	P-7 F-3	

* Capacity may vary on power supply, paper quality and lubrication of cutting knives



KOBRA 240 and KOBRA 240 Turbo - Small/medium office professional shredders

Throat: 240 mm • Dimensions: 37 x 33 x 56 cm
Power: 460 W • 24 Hour continuous duty motor

Model	Article Code	Shred Size (mm)	Sheet Capacity*		Bin (liters)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material
			A4 70 gr	A4 80 gr			
Kobra 240 SS5	99.721	5,8	27-29	22-24	35	P-2 O-2 T-2 E-2	
Kobra 240 SS4	99.706	3,8	24-26	20-22	35	P-2 O-2 T-2 E-2	
Kobra 240 SS2	99.761	1,9	13-15	11-13	35	P-3 T-3 E-2	
Kobra 240 C4	99.741	3,5 x 30	13-15	12-14	35	P-4 T-4 E-3 F-1	
Kobra 240 C2	99.731	1,9 x 15	10-12	9-11	35	P-5 T-5 E-4 F-2	
Kobra 240 HS	99.751	0,8 x 9,5	6-8	5-6	35	P-6 T-6 F-3	
Kobra 240 HS-6	99.756	0,8 x 5	4-5	3-4	35	P-7 F-3	
Model	Article Code	Shred Size (mm)	Sheet Capacity*		Bin (liters)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material
			A4 70 gr	A4 80 gr			
Kobra 240 SS5 Turbo	99.721 Turbo	5,8	50-52	40-44	35	P-2 O-2 T-2 E-2	
Kobra 240 SS4 Turbo	99.706 Turbo	3,8	28-30	25-26	35	P-2 O-2 T-2 E-2	
Kobra 240 C4 Turbo	99.741 Turbo	3,5 x 30	24-26	19-21	35	P-4 O-3 T-4 E-3 F-1	
Kobra 240 C2 Turbo	99.731 Turbo	1,9 x 15	17-19	14-16	35	P-5 T-5 E-4 F-2	

* Capacity may vary on power supply, paper quality and lubrication of cutting knives



KOBRA 260.1 Medium office professional shredders

Throat: 260 mm • Dimensions: 40 x 36 x 104 cm
Power: 500 W • 24 Hour continuous duty motor

Model	Article Code	Shred Size (mm)	Sheet Capacity*		Cabinet (liters)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material
			A4 70 gr	A4 80 gr			
Kobra 260.1 S5	99.917	5,8	29-31	25-27	80	P-2 O-2 T-2 E-2	
Kobra 260.1 S4	99.916	3,8	26-28	22-24	80	P-2 O-2 T-2 E-2	
Kobra 260.1 S2	99.915	1,9	14-16	12-14	80	P-3 T-3 E-2	
Kobra 260.1 C4	99.919	3,5 x 30	15-17	13-15	80	P-4 O-3 T-4 E-3 F-1	
Kobra 260.1 C2	99.918	1,9 x 15	10-12	9-11	80	P-5 T-5 E-4 F-2	
Kobra 260.1 HS	99.920	0,8 x 9,5	6-8	5-6	80	P-6 T-6 F-3	
Kobra 260.1 HS-6	99.921	0,8 x 5	4-5	3-4	80	P-7 F-3	

* Capacity may vary on power supply, paper quality and lubrication of cutting knives



KOBRA 260 Medium office professional shredders

Throat: 260 mm • Dimensions: 43 x 31 x 83 cm
Power: 460 W • 24 Hour continuous duty motor

Model	Article Code	Shred Size (mm)	Sheet Capacity*		Cabinet (liters)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material
			A4 70 gr	A4 80 gr			
Kobra 260 S5	99.516	5,8	29-31	25-27	85	P-2 O-2 T-2 E-2	
Kobra 260 S4	99.511	3,8	26-28	22-24	85	P-2 O-2 T-2 E-2	
Kobra 260 S2	99.501	1,9	14-16	12-14	85	P-3 T-3 E-2	
Kobra 260 C4	99.531	3,5 x 30	15-17	13-15	85	P-4 T-4 E-3 F-1	
Kobra 260 C2	99.521	1,9 x 15	10-12	9-11	85	P-5 T-5 E-4 F-2	
Kobra 260 HS	99.541	0,8 x 9,5	6-8	5-6	85	P-6 T-6 F-3	
Kobra 260 HS-6	99.546	0,8 x 5	4-5	3-4	85	P-7 F-3	
Option	Code	Description					Available for
ACCU-FLOW External Auto-Oiler	99.017	Automatically lubricates cutting knives. 1 liter of Kobra oil included.					Cross-cut models

* Capacity may vary on power supply, paper quality and lubrication of cutting knives



KOBRA 300.1 Medium-size office professional shredders

Throat: 310 mm • Dimensions: 53 x 43 x 92 cm
Power: 600 W • 24 Hour continuous duty motor

Model	Article Code	Shred Size (mm)	Sheet Capacity*		Cabinet (liters)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material
			A4 70 gr	A4 80 gr			
Kobra 300.1 S5	99.923	5,8	30-32	24-26	110	P-2 O-2 T-2 E-2	
Kobra 300.1 S4	99.922	3,8	27-29	22-24	110	P-2 O-2 T-2 E-2	
Kobra 300.1 C4	99.925	3,9 x 40	20-22	18-20	110	P-4 O-3 T-4 E-3 F-1	
Kobra 300.1 C2	99.924	1,9 x 15	12-13	10-12	110	P-5 T-5 E-4 F-2	
Kobra 300.1 HS	99.926	0,8 x 9,5	8-10	7-8	110	P-6 T-6 F-3	
Kobra 300.1 HS-6	99.927	0,8 x 5	4-5	3-4	110	P-7 F-3	

* Capacity may vary on power supply, paper quality and lubrication of cutting knives



KOBRA 300.2 Medium-size office professional shredders

Throat: 310 mm • Dimensions: 53 x 43 x 111 cm
Power: 900 W • 24 Hour continuous duty motor

Model	Article Code	Shred Size (mm)	Sheet Capacity*		Cabinet (liters)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material
			A4 70 gr	A4 80 gr			
Kobra 300.2 S5	99.929	5,8	37-40	33-35	150	P-2 O-2 T-2 E-2	
Kobra 300.2 S4	99.928	3,8	31-33	27-29	150	P-2 O-2 T-2 E-2	
Kobra 300.2 C4	99.931	3,9 x 40	25-27	23-25	150	P-4 O-3 T-4 E-3 F-1	
Kobra 300.2 C2	99.930	1,9 x 15	16-18	14-15	150	P-5 O-4 T-5 E-4 F-2	
Kobra 300.2 HS	99.932	0,8 x 9,5	9-11	8-9	150	P-6 T-6 F-3	
Kobra 300.2 HS-6	99.933	0,8 x 5	5-6	5	150	P-7 F-3	

* Capacity may vary on power supply, paper quality and lubrication of cutting knives

CLASSIC LINE



KOBRA 300

Medium-size office professional shredders

Throat: 300 mm • Dimensions: 43 x 31 x 83 cm
Power: 920 W • 24 Hour continuous duty motor

Model	Article Code	Shred Size (mm)	Sheet Capacity*		Cabinet (liters)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material
			A4 70 gr	A4 80 gr			
Kobra 300 SS5	99.652	5,8	42-46	37-39	85	P-2 O-2 T-2 E-2	
Kobra 300 SS4	99.650	3,8	32-34	28-30	85	P-2 O-2 T-2 E-2	
Kobra 300 CC4	99.656	3,5 x 30	22-24	20-22	85	P-4 O-3 T-4 E-3 F-1	
Kobra 300 CC2	99.654	1,9 x 15	16-18	14-15	85	P-5 T-5 E-4 F-2	
Kobra 300 HS	99.658	0,8 x 9,5	10-12	9-11	85	P-6 T-6 F-3	
Kobra 300 HS-6	99.660	0,8 x 5	5-6	5	85	P-7 F-3	
Option	Code	Description					Available for
ACCU-FLOW External Auto-Oiler	99.017	Automatically lubricates cutting knives. 1 liter of Kobra oil included.					Cross-cut models.

* Capacity may vary on power supply, paper quality and lubrication of cutting knives

KOBRA 390 and KOBRA 400

Multiple-user heavy duty professional shredders

Throat: 400 mm • Dimensions: 60 x 48 x 93 cm
Power: 1500 W (Kobra 390), 2100 W (Kobra 400)
24 Hour Continuous duty motor



Model	Article Code	Shred Size (mm)	Sheet Capacity*		Cabinet (liters)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material
			A4 70 gr	A4 80 gr			
Kobra 390 S5	99.641	5,8	45-47	43-45	200	P-2 O-2 T-2 E-2	
Kobra 390 C4	99.631	3,9 x 40	31-33	29-30	200	P-4 O-3 T-4 E-3 F-1	
Model	Article Code	Shred Size (mm)	Sheet Capacity*		Cabinet (liters)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material
			A4 70 gr	A4 80 gr			
Kobra 400 S5	99.601	5,8	60-62	52-54	200	P-2 O-2 T-2 E-2	
Kobra 400 C4	99.591	3,9 x 40	44-48	40-42	200	P-4 O-3 T-4 E-3 F-1	
Kobra 400 C2	99.596	1,9 x 15	29-31	25-27	200	P-5 O-4 T-5 E-4 F-2	
Option	Code		Description				Available for
Document Shelf	99.003		Top shelf to save office space.				All models.
Automatic Oiler	Art. Code + AO		Automatically lubricates cutting knives. 1 liter of Kobra oil included.				Cross-cut models.
Metal Detection System	Art. Code + MD		Detects metal presence to prevent damages to cutting knives.				All models.

* Capacity may vary on power supply, paper quality and lubrication of cutting knives.



KOBRA 400 WB Centralized shredder for office paper waste baskets

Throat: 400 mm + hopper • Dimensions: 60 x 48 x 163 cm
Power: 2100 W • 24 Hour continuous duty motor

Model	Article Code	Shred Size (mm)	Sheet Capacity*		Cabinet (liters)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material
			A4 70 gr	A4 80 gr			
Kobra 400 WB	99.620	3,9 x 40	44-48	40-42	200	P-4 O-3 T-4 E-3 F-1	

* Capacity may vary on power supply, paper quality and lubrication of cutting knives



KOBRA 260 HS/2 Emergency power black-out high security shredder

Throat: 260 mm • Dimensions: 50 x 38 x 85 cm
Power: 700 W • 2 4 Hour continuous duty motor

Model	Article Code	Shred Size (mm)	Sheet Capacity*		Cabinet (liters)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material
			A4 70 gr	A4 80 gr			
Kobra 260 HS/2	99.113	0,8 x 9,5	11-13	10-11	85	P-6 T-6 F-3	
Kobra 260 HS/2-6	99.116	0,8 x 5	5-6	5	85	P-7 F-3	
Option	Code	Description					Available for
Document Shelf	99.001	Top shelf to save office space.					All models.
ACCU-FLOW External Automatic Oiler	99.017	Automatically lubricates cutting knives. 1 liter of Kobra oil included.					All models.

* Capacity may vary on power supply, paper quality and lubrication of cutting knives

CLASSIC LINE



KOBRA 400 HS Auto-Oiler High security P-6 P-7 shredder with automatic oiler

Throat: 400 mm • Dimensions: 60 x 48 x 93 cm
Power: 2100 W • 24 Hour continuous duty motor

Model	Article Code	Shred Size (mm)	Sheet Capacity*		Cabinet (liters)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material
			A4 70 gr	A4 80 gr			
Kobra 400 HS Auto-Oiler	99.587	0,8 x 9,5	17-19	13-15	200	P-6 O-5 T-6 E-5 F-3	
Kobra 400 HS-6 Auto-Oiler	99.589	0,8 x 5	8-10	8-9	200	P-7 F-3	
Option	Code	Description					Available for
Document Shelf	99.003	Top shelf to save office space.					All models.
Metal Detection System	Art. Code + MD	Detects metal presence to prevent damages to cutting knives.					All models.

* Capacity may vary on power supply, paper quality and lubrication of cutting knives

KOBRA 400 HS Optical Media High security optical media and document shredders

Throat: 130 mm (CD/DVD) + 240 mm (paper) •
Dimensions: 60 x 48 x 93 cm • Power: 2100 W
24 Hour continuous duty motor



Model	Article Code	Paper Shred Size (mm)	CD/DVD Shred Size (mm)	Sheet Capacity*		CD/DVD Capacity per hour	Cabinet (liters)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material
				A4 70gr	A4 80gr				
Kobra 400 HS OM	99.585	-	1,5 x 2	-	-	2.100	80	O-6 T-6 E-5	
Kobra 400 HS COMBI	99.602	0,8 x 9,5	1,5 x 2	17-19	13-15	2.100	100+80	P-6 O-6 T-6 E-5 F-3	
Kobra 400 HS-6 COMBI	99.603	0,8 x 5	1,5 x 2	8-10	8-9	2.100	100+80	P-7 O-6 T-6 E-5 F-3	
Kobra HS-8 MULTI	99.604	0,8 x 5	0,8 x 1-1,5	8-10	8-9	1.500	90+65	P-7, exceeds O-6, T-7 E-5	
Option	Code	Description							Available for
Metal Detection System	Art. Code + MD	Detects metal presence to prevent damages to cutting knives.							400 HS/HS-6 COMBI models.

* Capacity may vary on power supply, paper quality and lubrication of cutting knives

INDUSTRIAL LINE

KOBRA CYCLONE - Multi-purpose heavy duty industrial shredder

Throat: 325x220 mm • Dimensions: 80 x 212 x 210 cm
Power: 6000 W • 24 Hour continuous duty motor



Model	Article code	Sheet capacity A4 70 gr	Credit cards capacity per hour	CD/DVD capacity per hour	Floppy disks capacity per hour	Security level availables (Cyclone screens)
Kobra CYCLONE	99.100	500	45.000	15.000	7.000	002, 003, 004, 005, 006
Option	Article Code	Security Level ISO/IEC 2196 (DIN 66399) Description			Available for	Shreddable Material
Screen Security Level 002	51.205	Similar to security level P-2 O-2 T-2 E-2			Kobra Cyclone	
Screen Security Level 003	51.204	Similar to security level P-2/P-3 O-2 T-2 E-2			Kobra Cyclone	
Screen Security Level 004	51.203	Similar to security level P-4 O-2 T-3 E-2			Kobra Cyclone	
Screen Security Level 005	51.202	Similar to security level P-5/P-6 O-3 T-4 E-3 F-1*			Kobra Cyclone	
Screen Security Level 006	51.201	Similar to security level P-7 O-5 T-5 E-4 F-3*			Kobra Cyclone	
Kobra COMPACTOR C-500	99.101	This accessory compresses and reduces the volume of shredded paper by 4 to 5 times to minimize the space required for the waste.			Kobra Cyclone	

* Microfiche only



KOBRA 430 TS - Industrial Touch Screen Shredder with conveyor belt

Throat: 430 mm • Dimensions: 81 x 161 x 170 cm
Power: 4000 W • 24 Hour continuous duty motor

Model	Article Code	Shred Size (mm)	Sheet Capacity*		Cabinet (liters)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material
			A4 70 gr	A4 80 gr			
Kobra 430 TS C4	99.901	5,8 x 50	125-130	100-105	470	P-3 O-2 T-3 E-2 F-1	
Kobra 430 TS C2	99.943	1,9 x 15	60-65	50-55	470	P-5 O-4 T-5 E-4 F-2	

* Capacity may vary on power supply, paper quality and lubrication of cutting knives

DIGITAL DATA STORAGE DEVICE SHREDDERS



KOBRA SSD

Solid State Drive high security disintegrator

Throat: 240x25 mm • Dimensions: 103 x 82 x 121 cm
Power: 5000 W • 24 Hour continuous duty motor

Model	Article Code	Shred Size	Cabinet (liters)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material
Kobra SSD	99.938	Sand-like texture particles	35	Similar to O-7 T-7 E-7	Solid State Drive devices
Option	Code	Description			
Log Management System	LMS	Log Management System allows to scan and automatically store into a computer the barcode serial number of the device being shredded keeping track of day and hour (barcode reader included).			



KOBRA DIGITAL-PRO

Digital media shredder

Throat: 160x85 mm • Dimensions: 63 x 53 x 104 cm
Power: 2000 W • 24 Hour continuous duty motor

Model	Article Code	Shred Size	Cabinet (liters)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material
Kobra DIGITAL-PRO	99.955	4 x 15 mm	32	Similar to O-3 T-4 E-3	Solid State Drives, Smartphones, SIM Cards, Flash Drives, USB Devices, IC Chips, Credit Cards with chips, PC Boards
Option	Code	Description			
Log Management System	LMS	Log Management System allows to scan and automatically store into a computer the barcode serial number of the device being shredded keeping track of day and hour (barcode reader included).			

DIGITAL DATA STORAGE DEVICE SHREDDERS



KOBRA HDD Hard Disk Drive shredder

Throat: 127x30 mm • Dimensions: 120 x 84 x 123 cm
Power: 3000 W • 24 Hour continuous duty motor

Model	Article Code	Shred Size	Cabinet (liters)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material
Kobra HDD	99.945	40 mm x random	40	T-1 E-2 H-3	Hard Disk Drives
Kobra DEGAUSSER	97.111	Super fast erasing time: 0,1 second (up to 280 HDD per hour). Completely erases digital data on all magnetic media. Data cannot be recovered.			Erasure capacity: 1 x 3.5" HDD or 8 x 2.5" HDD
Option	Code	Description			Indicated for
Log Management System (for Kobra HDD)	LMS	Log Management System allows to scan and automatically store into a computer the barcode serial number of the device being shredded keeping track of day and hour (barcode reader included).			Kobra HDD
Log Management System (for Kobra DEGAUSSER)	LMS-D	Log Management System with one click activates the Kobra Degausser, reads and stores in a database the barcode of the hard disks that are deleted (barcode reader included).			Kobra DEGAUSSER

CASINO AND GAMING ITEM SHREDDER

KOBRA GAMBLER Shredder for high security disposal of casino gaming materials

Throat: 160x85 mm • Dimensions: 63 x 53 x 104 cm
Power: 2000 W • 24 Hour continuous duty motor



Model	Article Code	Shred Size	Cabinet (liters)	Shreddable Material
Kobra GAMBLER	99.956	12,5 x 20 mm Casino chips, gaming tokens. 12,5 x 20-88 mm Playing Cards (depending on the amount shredded).	32	Dices, Chips, Playing cards, Gaming tokens.

ECOLOGICAL & RECYCLING SYSTEMS



KOBRA FLEXPACK

Eco-friendly cardboard recycling machines

Throat: 427 mm • Power: 600 W (Flexpack Desktop),
Potenza 2100 W (Flexpack) • 24 Hour continuous duty motor

Model	Article code	Entry height	Grid dimension	Dimensions
Kobra FLEXPACK Desktop	99.949	up to 11 mm	6 x 60 mm	60 x 37 x 33 cm
Kobra FLEXPACK	99.947	up to 20 mm	5 x 100 mm	70 x 51 x 117 cm
Option	Code	Description		Available for
Kobra DCS-500	99.948	Complete dust collection system, including vacuum motor, to provide dust free padding mats for clean packagings.		Kobra Flexpack
Kobra Vacuum kit	51.729	Inner vacuum kit (vacuum motor excluded).		Kobra Flexpack



KOBRA WASTEE

Waste Sorting Modular System

Bin capacity: 60 liters

Model	Article Code	Lid color / Hole type	Type of waste	Dimensions
Kobra WASTEE Gray	WA-99.005	Gray / Round	Unsorted waste	34 x 34,5 x 70,5 cm
Kobra WASTEE Yellow	WA-99.006	Yellow / Round	Plastic	34 x 34,5 x 70,5 cm
Kobra WASTEE Blue	WA-99.007	Blue / Oval	Paper	34 x 34,5 x 70,5 cm
Kobra WASTEE Green	WA-99.008	Green / Two round	Glass	34 x 34,5 x 70,5 cm
Kobra WASTEE Red	WA-99.019	Red / Two round	Metal	34 x 34,5 x 70,5 cm
Kobra WASTEE Brown	WA-99.022	Brown / Round, closed	Food waste (organic)	34 x 34,5 x 70,5 cm
Option	Code	Description		Available for
Waste bags	WA-99.100.	Available: waste bags made with recycled materials 100% recyclable (box of 100 bags).		Kobra WASTEE

KOBRA CONSUMABLES



Code	Description	Indicated for
51.091	KOBRA Oil. Lubricates cross-cut knives. Box of 24 bottles of 125 cc each.	Cross-cut models
51.086	KOBRA Oil for Automatic Oiler. Lubricate cross-cut knives. Box of 24 bottles of 1 liter each.	Cross-cut models with Automatic Oiler
99.207	Plastic bags. Box of 100 pieces.	KOBRA 245 TS, KOBRA 260 TS KOBRA AF+1, KOBRA 240.1, KOBRA 260.1, KOBRA 260, KOBRA 300.
99.206	Plastic bags. Box of 100 pieces.	KOBRA 270 TS, KOBRA 310 TS, KOBRA 400 COMBI HS/HS-6, KOBRA HS-8 MULTI
99.203	Plastic bags. Box of 50 pieces.	KOBRA 310 TS HD KOBRA 410 TS (235 lt.) KOBRA 430 TS KOBRA AF.1 KOBRA AF.2 KOBRA 300.1 KOBRA 300.2 KOBRA 390 KOBRA 400 KOBRA 400 WB
99.208	Plastic bags for CDs/DVDs. Box of 100 pieces.	KOBRA 410 TS (470 lt.)
99.209	Plastic bags. Box of 20 pieces.	KOBRA 430 TS
51.071	Fabric bag for optical media shreds.	KOBRA 400 HS OM
51.072	Fabric bag for optical media shreds.	KOBRA 400 COMBI HS/HS-6
51.075	Fabric bag for paper shreds.	KOBRA HS-8 MULTI
51.076	Fabric bag for optical media shreds.	KOBRA HS-8 MULTI
99.202	Plastic bags: 100 pieces.	KOBRA 260 HS/2, KOBRA SSD
51.221	Plastic bags: 10 pieces.	KOBRA Cyclone
51.225/U	Filter bags: 10 pieces.	KOBRA SSD
51.703	HEPA filter.	KOBRA SSD
51.225	Filter bags: 10 pieces.	KOBRA Cyclone vacuum system
51.230	Kobra Cyclone - Kobra Compactor C-500 plastic sleeve junction.	KOBRA Cyclone with Compactor

SECURITY LEVELS

ISO/IEC 21964 (DIN 66399) & data carrier classification



Data in Original Size on: Paper, Printout, films, printing plates etc.

P-1 Stripe width max 12 mm	P-3 Cross Cut < 320 mm ²	P-6 Cross Cut < 10 mm ²
P-2 Stripe width max 6 mm	P-4 Cross Cut < 160 mm ²	P-7 Cross Cut < 5 mm ²
	P-5 Cross Cut < 30 mm ²	



Data on Optical Carriers: CDs, DVDs etc.

O-1 Cross Cut < 2000 mm ²	O-3 Cross Cut < 160 mm ²	O-6 Cross Cut < 5 mm ²
O-2 Cross Cut < 800 mm ²	O-4 Cross Cut < 30 mm ²	O-7 Cross Cut < 0,2 mm ²
	O-5 Cross Cut < 10 mm ²	



Data on Magnetic Carriers: Credit Cards, Floppy Disks, ID Cards, Magnetic Tape Cassettes, etc.

T-1 Mechanically inoperable	T-3 Cross Cut < 320 mm ²	T-6 Cross Cut < 10 mm ²
T-2 Cross Cut < 2000 mm ²	T-4 Cross Cut < 160 mm ²	T-7 Cross Cut < 2,5 mm ²
	T-5 Cross Cut < 30 mm ²	



Data on electronic data carriers: Memory Sticks, Chip cards, Semiconductor Hard Drives, mobile communication media, etc.

E-1 Mechanically/ Electronically inoperable	E-3 Cross Cut < 160 mm ²	E-6 Cross Cut < 1 mm ²
E-2 Split	E-4 Cross Cut < 30 mm ²	E-7 Cross Cut < 0,5 mm ²
	E-5 Cross Cut < 10 mm ²	



Reduced size data on: micro-films and foils

F-1 Cross Cut < 160 mm ²	F-3 Cross Cut < 10 mm ²	F-6 Cross Cut < 0,5 mm ²
F-2 Cross Cut < 30 mm ²	F-4 Cross Cut < 2,5 mm ²	F-7 Cross Cut < 0,2 mm ²
	F-5 Cross Cut < 1 mm ²	



Data on Hard Disks (with magnetic data carriers)

H-1 Mechanically/ Electronically inoperable	H-3 Deformed	H-6 Cross Cut < 10 mm ²
H-2 Damaged	H-4 Cross Cut < 2000 mm ²	H-7 Cross Cut < 5 mm ²
	H-5 Cross Cut < 320 mm ²	



KOBRA products are built with the highest quality materials according to ISO 9001:2015 standards.



ELCOMAN SRL

Via Gorizia, 9 - 20813 Bovisio Masciago (MB) - Italy
Tel +39 0362 593584 - Fax +39 0362 591611
Email: kobra@elcoman.it

*Technical data as of October 2025.
Specifications in this publication may be subject
to change without notice.*