



TECHNICAL DATA AT A GLANCE

- *Touch Screen Line*
- *Hybrid Line*
- *Classic Line*
- *Industrial Line*
- *Electronic and Digital Data Storage
Device Shredders*
- *Ecological & Recycling Systems*

KOBRA 260 TS Professional Touch Screen Medium Office Shredders



- **Throat:** 10.25 inch
- **Dimensions:** 16 x 14.4 x 40 inch
- **Cabinet:** 22 gallons
- **Power:** 3/4 HP
- **24 Hour** continuous duty motor

- **Main features:** Touch Screen - Energy Smart System & Automatic disconnection - Two set of cutting knives - Heavy duty chain drive with steel gear - Automatic Start & Stop - Safety Stop (open door/full waste bag) - Automatic reverse - NSA EPL Listed (HS-6 model).

Model	Article Code	Shred Size (inch)	Sheet Capacity*	Weight (lb)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material	CD/DVD Cutting Unit	Automatic Oiler	
Kobra 260 TS S5	99.805	1/4	up to 30	70	P-2 O-2 T-2 E-2		Included	-	
Kobra 260 TS S4	99.800	1/8	up to 28	70	P-2 O-2 T-2 E-2		Included	-	
Kobra 260 TS C4 AO	99.815 +AO	3/16 x 1 1/2	up to 24	77	P-4 O-3 T-4 E-3 F-1		Included	Included	
Kobra 260 TS C2 AO	99.810 +AO	3/32 x 5/8	up to 14	77	P-5 T-5 E-4 F-2		Included	Included	
Kobra 260 TS HS-6 AO	99.825 +AO	0.8 x 5 mm	up to 5	79	P-7 F-3		-	Included	
Options	Option Code	Description				Availability			
CD/DVD Cutting Unit	Art. Code + CD	Separated cutting unit for CDs/DVDs/credit cards. Security Level O-1 T-2 E-2.				Included on S5, S4, C4, C2 models.			
Automatic Oiler	Art. Code + AO	Automatically lubricates cutting knives. 1 liter of Kobra oil included.				Included on cross-cut models.			

* Capacity may vary on power supply, paper quality and lubrication of cutting knives

KOBRA 270 TS Professional Touch Screen Medium Office Shredders



- **Throat:** 12.2 inch
- **Dimensions:** 21.2 x 17.2 x 35.2 inch
- **Cabinet:** 29 gallons
- **Power:** 3/4 HP
- **24 Hour** continuous duty motor

- **Main features:** Touch Screen - Motion Sensor (option) & Energy Smart - Two set of cutting knives - Heavy duty chain drive with steel gear - EPC Electronic Power Control - Automatic Start & Stop - Safety Stop (open door/full waste bag) - Automatic reverse - NSA EPL Listed (HS-6 model).

Model	Article Code	Shred Size (inch)	Sheet Capacity*	Weight (lb)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material	Motion Sensor	CD/DVD Cutting Unit	Automatic Oiler
Kobra 270 TS S5	99.835	1/4	up to 32	99	P-2 O-2 T-2 E-2		Option	Included	-
Kobra 270 TS S4	99.830	1/8	up to 29	99	P-2 O-2 T-2 E-2		Option	Included	-
Kobra 270 TS C4 AO	99.845 +AO	3/16 x 1 1/2	up to 16	101	P-4 O-3 T-4 E-3 F-1		Option	Included	Included
Kobra 270 TS C2 AO	99.840 +AO	3/32 x 5/8	up to 13	101	P-5 T-5 E-4 F-2		Option	Included	Included
Kobra 270 TS HS-6 AO	99.855 +AO	0.8 x 5 mm	up to 5	110	P-7 F-3		Option	-	Included
Option	Option Code	Description				Availability			
Motion sensor	Art. Code + MS	It activates the shredder as soon as you approach the machine.				Option for all models.			
CD/DVD Cutting Unit	Art. Code + CD	Separated cutting unit for CDs/DVDs/credit cards. Security Level O-1 T-2 E-2.				Included on S5, S4, C4, C2 models.			
Automatic Oiler	Art. Code + AO	Automatically lubricates cutting knives. 1 liter of Kobra oil included.				Included on cross-cut models.			

* Capacity may vary on power supply, paper quality and lubrication of cutting knives

TOUCH SCREEN LINE

KOBRA 310 TS Professional Touch Screen Large Office Shredders

- **Throat:** 13 inch
- **Power:** 1.5 HP
- **Dimensions:** 21.2 x 17.2 x 43 inch
- **24 Hour** continuous duty motor
- **Cabinet:** 40 gallons

- **Main features:** Touch Screen - Motion Sensor (option) & Energy Smart - Two set of cutting knives - Heavy duty chain drive with steel gear - EPC Electronic Power Control - Automatic Start & Stop - Safety Stop (open door/full waste bag) - Automatic reverse - NSA EPL Listed (HS-6 model).



Model	Article Code	Shred Size (inch)	Sheet Capacity*	Weight (lb)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material	Motion Sensor	CD/DVD Cutting Unit	Automatic Oiler	Auto-Feeder
Kobra 310 TS SS5	99.865	1/4	up to 47	120	P-2 O-2 T-2 E-2		Option	Included	-	-
Kobra 310 TS SS4	99.860	1/8	up to 39	120	P-2 O-2 T-2 E-2		Option	Included	-	-
Kobra 310 TS CC4 AO	99.875 +AO	3/16 x 1 1/2	up to 31	121	P-4 O-3 T-4 E-3 F-1		Option	Included	Included	Option
Kobra 310 TS CC2 AO	99.870 +AO	3/32 x 5/8	up to 19	121	P-5 T-5 E-4 F-2		Option	Included	Included	Option
Kobra 310 TS HS-6 AO	99.885 +AO	0.8 x 5 mm	up to 7	128	P-7 F-3		Option	-	Included	Option
<i>Option</i>	<i>Option Code</i>	<i>Description</i>				<i>Availability</i>				
<i>Motion sensor</i>	<i>Art. Code + MS</i>	<i>It activates the shredder as soon as you approach the machine.</i>				<i>Option for all models excluding models with automatic feeder.</i>				
<i>CD/DVD Cutting Unit</i>	<i>Art. Code + CD</i>	<i>Separated cutting unit for CDs/DVDs/credit cards. Security Level O-1 T-2 E-2.</i>				<i>Included on S5, S4, C4, C2 models.</i>				
<i>Automatic Oiler</i>	<i>Art. Code + AO</i>	<i>Automatically lubricates cutting knives. 1 liter of Kobra oil included.</i>				<i>Included on CC4 and CC2 models.</i>				
<i>Automatic Feeder</i>	<i>Art. Code + AF</i>	<i>Shred automatically up to 170 sheets.</i>				<i>Option for CC4, CC2, HS-6 models.</i>				
<i>Lockable Cover</i>	<i>Art. Code + LK</i>	<i>Lockable cover with security key.</i>				<i>Automatic Feeder.</i>				

* Capacity may vary on power supply, paper quality and lubrication of cutting knives

KOBRA 310 TS HD Professional Touch Screen Heavy Duty Shredders

- **Throat:** 13 inch
- **Power:** 1.5 HP
- **Dimensions:** 21.2 x 17.2 x 43 inch
- **24 Hour** continuous duty motor
- **Cabinet:** 40 gallons

- **Main features:** Touch Screen - Motion Sensor (option) & Energy Smart - Heavy duty chain drive with steel gear - EPC Electronic Power Control - Automatic Oiler - Automatic Start & Stop - Safety Stop (open door/full waste bag) - Automatic reverse.



Model	Article Code	Shred Size (inch)	Sheet Capacity*	Weight (lb)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material	Auto-Oiler	Motion Sensor
Kobra 310 TS HD HS-6 AO	99.907 +AO	0.8 x 5 mm	up to 14	203	P-7 F-3		Included	Option
<i>Option</i>	<i>Option Code</i>	<i>Description</i>				<i>Availability</i>		
<i>Motion sensor</i>	<i>Art. Code + MS</i>	<i>It activates the shredder as soon as you approach the machine.</i>				<i>Option for all models.</i>		

* Capacity may vary on power supply, paper quality and lubrication of cutting knives



KOBRA HYBRID/HYBRID-S Cross-cut Hybrid Deskside Office Shredder



- **Throat:** 9.2 inch
- **Dimensions:** 14.5 x 10 x 19.7 inch
- **Waste bin:** 8 gallons
- **Power:** 1/4 HP (Hybrid), 1/3 HP (Hybrid-S)
- **24 Hour** continuous duty motor
- **Main features:** Exclusive Hybrid Technology - Zero power consumption in stand-by mode - Automatic Start & Stop - Safety Stop - Reverse button - Window to check the shreds level - Plastic bag not required.

Model	Article Code	Shred Size (inch)	Sheet Capacity*	Weight (lb)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material
Kobra Hybrid	99.941	1/8 x 1 5/8	up to 9	18	P-4 T-4 E-3 F-1	
Kobra Hybrid-S	99.942	1/8 x 1 5/8	up to 14	20	P-4 T-4 E-3 F-1	

* Capacity may vary on power supply, paper quality and lubrication of cutting knives



KOBRA S6/S4/C4/C2-HYBRID Straight-cut, Cross-cut and Micro-cut Hybrid Office Shredder



- **Throat:** 9.5 inch
- **Dimensions:** 15.6 x 12 x 23.6 inch
- **Waste bin:** 10.5 gallons
- **Power:** 1/2 HP
- **24 Hour** continuous duty motor
- **Main features:** Exclusive Hybrid Technology - Zero power consumption in stand-by mode - Automatic Start & Stop - Safety Stop - Reverse button - Window to check the shreds level - Removable bin - Plastic bag not required.

Model	Article Code	Shred Size (inch)	Sheet Capacity*	Weight (lb)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material
Kobra S6-Hybrid	99.952	15/64	up to 28	24	P-2 O-2 T-2 E-2	
Kobra S4-Hybrid	99.951	1/8	up to 22	24	P-2 O-2 T-2 E-2	
Kobra C4-Hybrid	99.953	1/8 x 1 5/8	up to 17	26	P-4 O-3 T-4 E-3 F-1	
Kobra C2-Hybrid	99.957	3/32 x 5/8	up to 12	26	P-5 T-5 E-4 F-2	

* Capacity may vary on power supply, paper quality and lubrication of cutting knives

CLASSIC LINE • AUTOMATIC FEEDER

KOBRA AF+1

Professional shredder with automatic feeder (Oil-free)

- **Throat:** 9.5 inch
- **Dimensions:** 16 x 15 x 41inch
- **Cabinet:** 22 gallons
- **Power:** 1/3 HP
- **24 Hour** continuous duty motor
- **Main features:** Auto-feed System - Paper tray - Energy Smart - Oil-free System - Automatic Start & Stop - Safety Stop (open door/full waste bag) - Automatic reverse.



Model	Article Code	Shred Size (inch)	Sheet Capacity*		Weight (lb)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material	
			Autom. feed	Manual feed			Autom. feed	Manual feed
Kobra AF+1	99.936	1/8 x 5/8	up to 350	up to 14	68	P-4 O-3 T-4 E-3 F-1		

* Capacity may vary on power supply, paper quality and lubrication of cutting knives

KOBRA AF.1

Professional shredder with automatic feeder

- **Throat:** 10.25 inch
- **Dimensions:** 21.2 x 17.2 x 43 inch
- **Cabinet:** 40 gallons
- **Power:** 7/8 HP
- **24 Hour** continuous duty motor
- **Main features:** Auto-feed System - Paper tray - Energy Smart - Heavy duty chain drive with steel gear - Oil-free System (AF.1 C4) - Automatic Oiler (AF.1 C2) - Automatic Start & Stop - Safety Stop (open door/full waste bag) - Automatic reverse.



Model	Article Code	Shred Size (inch)	Sheet Capacity*		Weight (lb)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material		Electronic combination lock
			Autom. feed	Manual feed			Autom. feed	Manual feed	
Kobra AF.1 C4 (Oil-free)	99.934	3/16 x 1 1/2	up to 350	up to 22	103	P-4 O-3 T-4 E-3 F-1			Option
Kobra AF.1 C2 (Auto-Oiler)	99.937	3/32 x 5/8	up to 350	up to 12	103	P-5 T-5 E-4 F-2			Option
<i>Option</i>	<i>Code</i>	<i>Description</i>				<i>Available for</i>			
<i>Electronic combination lock</i>	<i>Art. Code + CLK</i>	<i>Protects documents from prying eyes of unauthorized persons while shredding.</i>				<i>All models.</i>			

* Capacity may vary on power supply, paper quality and lubrication of cutting knives

KOBRA AF.2 COMPACTOR

Professional auto-feed/auto-compact shredder

- **Throat:** 10.25 inch
- **Dimensions:** 21.2 x 17.2 x 43 inch
- **Cabinet:** 40 gallons
- **Power:** 1.34 HP
- **24 Hour** continuous duty motor
- **Main features:** Auto-feed System - Automatic Compactor - Paper tray - Energy Smart - Heavy duty chain drive with steel gear - Oil-free System - Automatic Start & Stop - Safety Stop (open door/full waste bag) - Automatic reverse.



Model	Article Code	Shred Size (inch)	Sheet Capacity*		Weight (lb)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material		Electronic combination lock
			Autom. feed	Manual feed			Autom. feed	Manual feed	
Kobra AF.2 COMPACTOR	99.944	3/16 x 1 1/2	up to 400	up to 22	141	P-4 O-3 T-4 E-3 F-1			Option
<i>Option</i>	<i>Code</i>	<i>Description</i>				<i>Available for</i>			
<i>Electronic combination lock</i>	<i>Art. Code + CLK</i>	<i>Protects documents from prying eyes of unauthorized persons while shredding.</i>				<i>All models.</i>			

* Capacity may vary on power supply, paper quality and lubrication of cutting knives

KOBRA +1

Personal and deskside shredders

- **Throat:** 9.2 inch
- **Dimensions:** 15.6 x 12 x 23.6 inch
- **Waste bin:** 10.2 gallons
- **Power:** 1/3 HP
- **24 Hour** continuous duty motor

- **Main features:** Energy Smart System - Automatic Start & Stop - Safety Stop - Automatic reverse - Window to check the shreds level - Removable bin - Plastic bag not required.



Model	Article Code	Shred Size (inch)	Sheet Capacity*	Weight (lb)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material
Kobra+1 SS7	99.104	1/4	up to 26	24	P-1 O-1 T-2 E-2	
Kobra+1 SS6	99.102	15/64	up to 25	24	P-2 O-2 T-2 E-2	
Kobra+1 SS4	99.103	1/8	up to 19	24	P-2 O-2 T-2 E-2	
Kobra+1 CC4	99.105	1/8 x 1 5/8	up to 14	26	P-4 T-4 E-3 F-1	

* Capacity may vary on power supply, paper quality and lubrication of cutting knives

KOBRA +2 and KOBRA +3

Office shredders with double set of cutting knives

- **Throat:** 9.2 inch
- **Dimensions:** 15.6 x 12 x 23.6 inch
- **Bin:** 10.2 gal (paper) + 0.4 gal (plastic)
- **Power:** 1/3 HP
- **24 Hour** continuous duty motor

- **Main features:** Energy Smart System - Two separate sets of cutting knives - Throw and Shred System (Kobra +3 model) - Automatic Start & Stop - Safety Stop (bin removal/full bin) - Automatic Reverse - Window to check the shreds level - Removable bin - Plastic bag not required.



Model	Article Code	Shred Size (inch)	Sheet Capacity*	Weight (lb)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material
Kobra+2 SS7	99.111	1/4	up to 27	26	P-1 O-1 T-2 E-2	
Kobra+2 SS4	99.108	1/8	up to 19	26	P-2 O-2 T-2 E-2	
Kobra+2 CC2	99.112	3/32 x 5/8	up to 8	30	P-5 T-5 E-4 F-2	
Kobra+3 CC4	99.110	1/8 x 1 5/8	up to 14	28	P-4 T-4 E-3 F-1	

* Capacity may vary on power supply, paper quality and lubrication of cutting knives.

** **CD/DVD Cutting Unit:** standard separate cutting unit. Security Level O-1 T-2 E-2.

KOBRA 240.1 Small/medium office professional shredders

- **Throat:** 9.5 inch
- **Dimensions:** 16 x 14.4 x 25 inch
- **Cabinet:** 10.5 gallons
- **Power:** 4/5 HP
- **24 Hour** continuous duty motor
- **Main features:** Energy Smart System - Heavy duty chain drive with steel gear - Automatic Start & Stop - Safety Stop (bag full/open door) - Automatic Reverse.



Model	Article Code	Shred Size (inch)	Sheet Capacity*	Weight (lb)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material	Automatic Oiler
Kobra 240.1 S5	99.910	1/4	up to 31	53	P-2 O-2 T-2 E-2		-
Kobra 240.1 S4	99.909	1/8	up to 26	53	P-2 O-2 T-2 E-2		-
Kobra 240.1 C4 AO	99.912 +AO	1/8 x 1 1/8	up to 17	55	P-4 O-3 T-4 E-3 F-1		Included
Kobra 240.1 C2 AO	99.911 +AO	3/32 x 5/8	up to 12	55	P-5 T-5 E-4 F-2		Included
Kobra 240.1 HS	99.913	1/32 x 7/16	up to 8	62	P-6 T-6 F-3		Included

* Capacity may vary on power supply, paper quality and lubrication of cutting knives

KOBRA 240 and KOBRA 240 Turbo Small/medium office professional shredders

- **Throat:** 9.5 inch
- **Dimensions:** 14.5 x 13 x 22 inch
- **Waste bin:** 9.5 gallons
- **Power:** 3/4 HP
- **24 Hour** continuous duty motor
- **Main features:** "Turbo boost" for extra-shredding capacity - Energy Smart System - Heavy duty chain drive with steel gear - Automatic Start & Stop - Safety Stop (bin removal/full bin) - Removable bin - Plastic bag not required.



Model	Article Code	Shred Size (inch)	Sheet Capacity*	Weight (lb)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material
Kobra 240 SS5	99.721	1/4	up to 29	33	P-2 O-2 T-2 E-2	
Kobra 240 SS4	99.706	1/8	up to 26	33	P-2 O-2 T-2 E-2	
Kobra 240 SC Smart Card	99.761	3/32	up to 15	33	P-3 T-3 E-2	
Kobra 240 C4	99.741	1/8 x 1 1/8	up to 15	30	P-4 T-4 E-3 F-1	
Kobra 240 C2	99.731	3/32 x 5/8	up to 12	30	P-5 T-5 E-4 F-2	
Kobra 240 HS	99.751	1/32 x 7/16	up to 8	41	P-6 T-6 F-3	
Kobra 240 HS-6	99.756	0.8 x 5 mm	up to 6	41	P-7 F-3	
Kobra 240 SS5 Turbo	99.721 Turbo	1/4	up to 52	33	P-2 O-2 T-2 E-2	
Kobra 240 SS4 Turbo	99.706 Turbo	1/8	up to 30	33	P-2 O-2 T-2 E-2	
Kobra 240 C4 Turbo	99.741 Turbo	1/8 x 1 1/8	up to 26	31	P-4 O-3 T-4 E-3 F-1	
Kobra 240 C2 Turbo	99.731 Turbo	3/32 x 5/8	up to 19	31	P-5 T-5 E-4 F-2	

* Capacity may vary on power supply, paper quality and lubrication of cutting knives



KOBRA 260.1 Medium office professional shredders

- **Throat:** 10.25 inch
- **Power:** 4/5 HP
- **Dimensions:** 16 x 14.4 x 41 inch
- **24 Hour** continuous duty motor
- **Cabinet:** 22 gallons
- **Main features:** Energy Smart System - Heavy duty chain drive with steel gear - Automatic Start & Stop - Safety Stop (bag full/open door) - Automatic Reverse.

Model	Article Code	Shred Size (inch)	Sheet Capacity*	Weight (lb)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material	Automatic Oiler
Kobra 260.1 S5	99.917	1/4	up to 31	64	P-2 O-2 T-2 E-2		-
Kobra 260.1 S4	99.916	1/8	up to 28	64	P-2 O-2 T-2 E-2		-
Kobra 260.1 S2	99.915	3/32	up to 16	64	P-3 T-3 E-2		-
Kobra 260.1 C4 AO	99.919 +AO	1/8 x 1 1/8	up to 17	70	P-4 O-3 T-4 E-3 F-1		Included
Kobra 260.1 C2 AO	99.918 +AO	3/32 x 5/8	up to 12	70	P-5 T-5 E-4 F-2		Included
Kobra 260.1 HS	99.920	1/32 x 7/16	up to 8	77	P-6 T-6 F-3		Included
Kobra 260.1 HS-6	99.921	0.8 x 5 mm	up to 5	77	P-7 F-3		Included

* Capacity may vary on power supply, paper quality and lubrication of cutting knives

KOBRA 260 Medium office professional shredders

- **Throat:** 10.25 inch
- **Power:** 3/4 HP
- **Dimensions:** 17 x 12.25 x 32.5 inch
- **24 Hour** continuous duty motor
- **Metal cabinet:** 22 gallons
- **Main features:** Energy Smart System - Heavy duty chain drive with steel gear - Automatic Start & Stop - Safety Stop (bag full/open door) - Automatic reverse - NSA EPL Listed (HS-6 model).



Model	Article Code	Shred Size (inch)	Sheet Capacity*	Weight (Kg)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material	External Auto-oiler
Kobra 260 S5	99.516	1/4	up to 31	57	P-2 O-2 T-2 E-2		-
Kobra 260 S4	99.511	1/8	up to 28	57	P-2 O-2 T-2 E-2		-
Kobra 260 C2	99.521	3/32 x 5/8	up to 12	66	P-5 T-5 E-4 F-2		Option
Kobra 260 HS	99.541	1/32 x 7/16	up to 8	72	P-6 T-6 F-3		Option
Kobra 260 HS-6	99.546	0.8 x 5 mm	up to 6	72	P-7 F-3		Option
Option	Code	Description					Available for
ACCU-FLOW External Auto-Oiler	AF-400	Automatically lubricates cutting knives. 1 liter of Kobra oil included.					Cross-cut models.
Document top-shelf	SH-260	Document top shelf to save office space (space saving design)					All models.

* Capacity may vary on power supply, paper quality and lubrication of cutting knives



KOBRA 300.1
Medium-size office professional shredders

- **Throat:** 12.2 inch
- **Dimensions:** 21.2 x 17.2 x 43.4 inch
- **Cabinet:** 40 gallons
- **Power:** 7/8 HP
- **24 Hour** continuous duty motor
- **Main features:** Energy Smart System - Heavy duty chain drive with steel gear - Automatic Start & Stop - Safety Stop (bag full/open door) - Automatic Reverse.

Model	Article Code	Shred Size (inch)	Sheet Capacity*	Weight (lb)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material	Automatic Oiler
Kobra 300.1 S5	99.923	1/4	up to 32	97	P-2 O-2 T-2 E-2		-
Kobra 300.1 S4	99.922	1/8	up to 29	97	P-2 O-2 T-2 E-2		-
Kobra 300.1 C4 AO	99.925 +AO	3/16 x 11/2	up to 22	99	P-4 O-3 T-4 E-3 F-1		Included
Kobra 300.1 C2 AO	99.924 +AO	3/32 x 5/8	up to 13	99	P-5 T-5 E-4 F-2		Included
Kobra 300.1 HS	99.926	1/32 x 7/16	up to 8	108	P-6 T-6 F-3		Included
Kobra 300.1 HS-6	99.927	0.8 x 5 mm	up to 6	108	P-7 F-3		Included

* Capacity may vary on power supply, paper quality and lubrication of cutting knives



KOBRA 300.2
Medium-size office professional shredders

- **Throat:** 12.2 inch
- **Dimensions:** 21.2 x 17.2 x 43.4 inch
- **Cabinet:** 40 gallons
- **Power:** 1 1/2 HP
- **24 Hour** continuous duty motor
- **Main features:** Energy Smart System - Heavy duty chain drive with steel gear - Automatic Start & Stop - Safety Stop (bag full/open door) - Automatic Reverse.

Model	Article Code	Shred Size (inch)	Sheet Capacity*	Weight (lb)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material	Automatic Oiler
Kobra 300.2 S5	99.929	1/4	up to 40	97	P-2 O-2 T-2 E-2		-
Kobra 300.2 S4	99.928	1/8	up to 33	97	P-2 O-2 T-2 E-2		-
Kobra 300.2 C4 AO	99.931	3/16 x 11/2	up to 27	99	P-4 O-3 T-4 E-3 F-1		Included
Kobra 300.2 C2 AO	99.930	3/32 x 5/8	up to 18	99	P-5 O-4 T-5 E-4 F-2		Included
Kobra 300.2 HS	99.932	1/32 x 7/16	up to 11	108	P-6 T-6 F-3		Included
Kobra 300.2 HS-6	99.933	0.8 x 5 mm	up to 7	108	P-7 F-3		Included

* Capacity may vary on power supply, paper quality and lubrication of cutting knives

KOBRA 300 Medium-size office professional shredders

- **Throat:** 12 inch
 - **Power:** 1 1/2 HP
 - **Dimensions:** 17 x 12.25 x 32.5 inch
 - **24 Hour** continuous duty motor
 - **Metal cabinet:** 22 gallons
- **Main features:** Energy Smart System - Heavy duty chain drive with steel gear - Automatic Start & Stop - Safety Stop (bag full/open door) - Automatic reverse - NSA EPL Listed (HS-6 model).



Model	Article Code	Shred Size (inch)	Sheet Capacity*	Weight (lb)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material	External Auto-oiler
Kobra 300 SS4	99.650	1/8	up to 34	72	P-2 O-2 T-2 E-2		-
Kobra 300 CC4	99.656	1/8 x 1 1/8	up to 24	74	P-4 O-3 T-4 E-3 F-1		Option
Kobra 300 CC2	99.654	3/32 x 5/8	up to 18	74	P-5 T-5 E-4 F-2		Option
Kobra 300 HS-6	99.660	0.8 x 5 mm	up to 6	83	P-7 F-3		Option
<i>Option</i>	<i>Code</i>	<i>Description</i>				<i>Available for</i>	
<i>ACCU-FLOW External Auto-Oiler</i>	<i>AF-400</i>	<i>Automatically lubricates cutting knives. 1 liter of Kobra oil included.</i>				<i>Cross-cut models.</i>	
<i>Document top-shelf</i>	<i>SH-260</i>	<i>Document top shelf to save office space (space saving design)</i>				<i>All models.</i>	

* Capacity may vary on power supply, paper quality and lubrication of cutting knives

KOBRA 390 and KOBRA 400 Multiple-user heavy duty professional shredders

- **Throat:** 16 inch
 - **Power:** 1 1/2 HP (Kobra 390), 2.9 HP (Kobra 400)
 - **Dimensions:** 23.5 x 19 x 36.5 inch
 - **24 Hour** Continuous duty motor
 - **Metal cabinet:** 53 gallons
- **Main features:** Energy Smart System - Heavy duty chain drive with steel gear - High shredding capacity - Automatic Start & Stop - Safety Stop (bag full/open door) - Automatic reverse.



Model	Article Code	Shred Size (inch)	Sheet Capacity*	Weight (lb)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material	Automatic oiler
Kobra 390 S5	99.641	1/4	up to 47	160	P-2 O-2 T-2 E-2		-
Kobra 390 C4 AO	99.631 +AO	1/8 x 1 1/2	up to 33	169	P-4 O-3 T-4 E-3 F-1		Included
Kobra 400 S5	99.601	1/4	up to 62	209	P-2 O-2 T-2 E-2		-
Kobra 400 C4 AO	99.591 +AO	3/16 x 1 1/2	up to 48	209	P-4 O-3 T-4 E-3 F-1		Included
Kobra 400 C2 AO	99.596 +AO	3/32 x 5/8	up to 31	222	P-5 O-4 T-5 E-4 F-2		Included

* Capacity may vary on power supply, paper quality and lubrication of cutting knives.



KOBRA 400 WB
Centralized shredder for office paper waste baskets

- **Throat:** 16 inch (+ hopper)
- **Dimensions:** 23.5 x 19 x 64.5 inch
- **Metal cabinet:** 53 gallons
- **Power:** 2.9 HP
- **24 Hour** continuous duty motor
- **Main features:** Hopper for quick and easy loading of materials to be shredded - Automatic mechanical feeding System - Heavy duty chain drive with steel gear - Automatic Start & Stop - Safety Stop (bag full/open door) - Automatic reverse.

Model	Article Code	Shred Size (inch)	Sheet Capacity*	Weight (lb)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material
Kobra 400 WB	99.620	1/8 x 11/2	up to 48	291	P-4 O-3 T-4 E-3 F-1	

* Capacity may vary on power supply, paper quality and lubrication of cutting knives

KOBRA 260 HS2
Emergency power black-out high security shredder

- **Throat:** 10.25 inch
- **Dimensions:** 20 x 15 x 33.5 inch
- **Metal cabinet:** 22 gallons
- **Power:** 1 1/2 HP
- **24 Hour** continuous duty motor
- **Main features:** Emergency Manual System to shred documents even in case of no power supply - Energy Smart System - Heavy duty chain drive with steel gear - Automatic Start & Stop - Safety Stop (bag full/open door) - Automatic reverse.



Model	Article Code	Shred Size (inch)	Sheet Capacity*	Weight (lb)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material	External Auto-oiler
Kobra 260 HS2	99.113	1/32 x 7/16	up to 13	112	P-6 T-6 F-3		Option
Kobra 260 HS2-6	99.116	0.8 x 5 mm	up to 10	112	P-7 F-3		Option
<i>Option</i>	<i>Code</i>	<i>Description</i>				<i>Available for</i>	
<i>Document Shelf</i>	<i>SH-260/2</i>	<i>Top shelf to save office space.</i>				<i>All models.</i>	
<i>ACCU-FLOW External Automatic Oiler</i>	<i>AF-400</i>	<i>Automatically lubricates cutting knives. 1 liter of Kobra oil included.</i>				<i>All models.</i>	

* Capacity may vary on power supply, paper quality and lubrication of cutting knives



KOBRA 400 HS6 Auto-Oiler
High security shredder with automatic oiler

- **Throat:** 16 inch
- **Dimensions:** 23.5 x 19 x 36.5 inch
- **Metal cabinet:** 53 gallons
- **Power:** 2.9 HP
- **24 Hour** continuous duty motor
- **Main features:** Tested and approved by many international Governments and Military Bodies - Energy Smart System - Heavy duty chain drive with steel gear - Automatic Start & Stop - Safety Stop (bag full/open door) - Automatic reverse - NSA EPL Listed (HS-6 model).

Model	Article Code	Shred Size (inch)	Sheet Capacity*	Weight (lb)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material
Kobra 400 HS6 Auto-Oiler	99.589	0.8 x 5 mm	up to 14	246	P-7 F-3	
<i>Option</i>	<i>Code</i>	<i>Description</i>			<i>Available for</i>	
Document Shelf	99.003	Top shelf to save office space.			All models.	

* Capacity may vary on power supply, paper quality and lubrication of cutting knives

KOBRA 400 HS Optical Media
High security optical media and document shredders

- **Throat:** 5.0 inch (CD/DVD) + 9.5 inch (paper)
- **Dimensions:** 23.5 x 19 x 36.5 inch
- **Metal cabinet:** 22 gallons (OM model), 29 gal for paper + 22 gal for plastic (COMBI model), 24 gal for paper + 17 gal for plastic (HS-8 MULTI).
- **Power:** 2.9 HP (OM and COMBI models), 3 HP (HS-8 MULTI).
- **24 Hour** continuous duty motor
- **Main features:** Tested and approved by many international Governments and Military Bodies - New standard for optical media shredding (HS-8 MULTI model) - Energy Smart System - Heavy duty chain drive with steel gear - Automatic Oiling System - Automatic Start & Stop - Safety Stop (bag full/open door) - Automatic reverse.



Model	Article Code	Paper Shred Size (mm)	CD/DVD Shred Size (mm)	Sheet Capacity*	CD/DVD Capacity per hour	Weight (lb)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material
Kobra 400 HS OM AO	99.585	-	1.5 x 2	-	2,550	220	O-6 T-6 E-5	
Kobra 400 HS6 COMBI AO	99.603	0.8 x 5	1.5 x 2	up to 14	2,550	246	P-7 O-6 T-6 E-5 F-3	
Kobra HS-8 MULTI AO	99.604	0.8 x 5	0.8 x 1-1.5	up to 14	1,500	310	P-7, exceeds O-6, T-7 E-5	

* Capacity may vary on power supply, paper quality and lubrication of cutting knives

KOBRA CYCLONE

Multi-purpose heavy duty industrial shredder

- **Throat:** 13 x 19 inch
- **Dimensions:** 32 x 85 x 84 inch
- **Waste bag capacity:** 100 gallons (on built-in trolley)
- **Power:** 8 HP
- **24 Hour** continuous duty motor

- **Main features:** Equipped with a turbine generating a high pressure air flow and sets of high speed rotating blades - Impressive shredding output of paper - Easy to use - Integrated vacuum System - Convenient built-in trolley.



- **Options:** Different security level screens availables - Compactor for reducing shredded paper volume.

Model	Article code	Sheet capacity	Credit cards capacity per hour	CD/DVD capacity per hour	Floppy disks capacity per hour	Weight (lb)	Security level availables (Cyclone screens)
Kobra CYCLONE	99.100	up to 500	45,000	15,000	7,000	970	002, 003, 004, 005, 006
Option	Article Code	Security Level ISO/IEC 2196 (DIN 66399) Description			Available for	Shreddable Material	
Screen Security Level 002	51.205	Similar to security level P-2 O-2 T-2 E-2			Kobra Cyclone		
Screen Security Level 003	51.204	Similar to security level P-2/P-3 O-2 T-2 E-2			Kobra Cyclone		
Screen Security Level 004	51.203	Similar to security level P-4 O-2 T-3 E-2			Kobra Cyclone		
Screen Security Level 005	51.202	Similar to security level P-5/P-6 O-3 T-4 E-3 F-1*			Kobra Cyclone		
Screen Security Level 006	51.201	Similar to security level P-7 O-5 T-5 E-4 F-3*			Kobra Cyclone		
Option	Article Code	Security Level ISO/IEC 2196 (DIN 66399) Description			Available for	Weight (lb)	Shreddable Material
Kobra COMPACTOR C-500	99.101	Compresses and reduces the volume of shredded paper by 4 to 5 times.			Kobra Cyclone	485	

* Microfiche only

KOBRA 430 TS

Industrial Touch Screen Shredder with conveyor belt

- **Throat:** 17.2 inch
- **Dimensions:** 34 x 64 x 67 inch
- **Cabinet:** 124 gallons
- **Power:** 5.4 HP
- **24 Hour** continuous duty motor

- **Main features:** Conveyor belt - Touch Screen - Heavy duty chain drive with steel gear - Automatic Oiler - Safety Stop (open door/full waste bag) - Automatic reverse.



Model	Article Code	Shred Size (inch)	Sheet Capacity*	Weight (lb)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material	Automatic Oiler
Kobra 430 TS C4 AO	99.901	1/4 x 2	up to 130	1,060	P-3 O-2 T-3 E-2 F-1		Included
Kobra 430 TS C2 AO	99.943	3/32 x 5/8	up to 55	1,060	P-5 O-4 T-5 E-4 F-2		Included

* Capacity may vary on power supply, paper quality and lubrication of cutting knives

KOBRA DIGITAL-PRO Digital media shredder

- **Throat:** 6 5/16 x 3 11/32 inch
- **Dimensions:** 25 x 21 x 41 inch
- **Metal cabinet:** 8.5 gallons
- **Power:** 2.7 HP
- **24 Hour** continuous duty motor

- **Main features:** High-performance digital media shredder, compact design - Intuitive control panel - Easy access with two entry openings - Heavy duty cutting knives - Safety Stop (open door/bin full) - Automatic anti-jamming System.



Model	Article Code	Shred Size	Weight (lb)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material
Kobra DIGITAL-PRO	99.955	5/32 x 19/32 inch (4 x 15 mm)	310	Similar to O-3 T-4 E-3	Solid State Drives, Smartphones, SIM Cards, Flash Drives, USB Devices, IC Chips, Credit Cards with chips, PC Boards
<i>Option</i>	<i>Option Code</i>	<i>Description</i>			
Log Management System	LMS	Log Management System allows to scan and automatically store into a computer the barcode serial number of the device being shredded keeping track of day and hour (barcode reader included).			

KOBRA SSD NSA Approved Solid State Drive High Security Disintegrator

- **Throat:** 29.5 x 1 inch
- **Dimensions:** 41 x 32 x 48 inch
- **Metal cabinet:** 9 gallons
- **Power:** 7 HP
- **24 Hour** continuous duty motor

- **Main features:** Exclusive shredding technology with two stage destruction system to pulverize Solid State drives - Intuitive control panel - Easy access feed port - Lockable feed hopper cover - Special Hepa Air Filtration System.



Model	Article Code	Shred Size	Weight (lb)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material
Kobra SSD	99.938	Sand-like texture particles	1,250	Sand-like particles	Solid State Drive devices
<i>Option</i>	<i>Option Code</i>	<i>Description</i>			
Log Management System	LMS	Log Management System allows to scan and automatically store into a computer the barcode serial number of the device being shredded keeping track of day and hour (barcode reader included).			

DIGITAL DATA STORAGE DEVICE SHREDDERS

KOBRA HDD Hard Disk Drive shredder

- **Throat:** 5 x 1.2 inch
- **Dimensions:** 47.2 x 33 x 48.4 inch
- **Metal cabinet:** 11 gallons
- **Power:** 4 HP
- **24 Hour** continuous duty motor

- **Main features:** Exclusive shredding technology through high carbon grade steel cutting knives - Touch Screen Panel with LED-Feeding Control System - Safety Stop (open door/bin removal) - Emergency Stop Switch.



Model	Article Code	Shred Size	Weight (lb)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material
Kobra HDD	99.945	1 7/16 inch x random	1,250	H-3 T-1 E-2	Hard Disk Drives
Kobra HDD H4	99.945H4	1 1/2 x 2 3/8 inch	1,250	H-4 T-2 E-2	Hard Disk Drives
Kobra DEGAUSSER	97.111	Super fast erasing time: 0,1 second (up to 280 HDD per hour). Completely erases digital data on all magnetic media. Data cannot be recovered.			Erasure capacity: 1 x 3.5" HDD or 8 x 2.5" HDD
<i>Option</i>	<i>Option Code</i>	<i>Description</i>			<i>Indicated for</i>
<i>Log Management System (for Kobra HDD)</i>	<i>LMS</i>	<i>Log Management System allows to scan and automatically store into a computer the barcode serial number of the device being shredded keeping track of day and hour (barcode reader included).</i>			<i>Kobra HDD</i>
<i>Log Management System (per Kobra DEGAUSSER)</i>	<i>LMS-D</i>	<i>Log Management System with one click activates the Kobra Degausser, reads and stores in a database the barcode of the hard disks that are deleted (barcode reader included).</i>			<i>Kobra DEGAUSSER</i>

CASINO AND GAMING ITEM SHREDDER

KOBRA GAMBLER Shredder for high security disposal of casino gaming materials

- **Throat:** 6 5/16 x 13/16 inch
- **Dimensions:** 25 x 21 x 41 inch
- **Metal cabinet:** 8.5 gallons
- **Power:** 2.7 HP
- **24 Hour** continuous duty motor

- **Main features:** High-performance shredder, compact design - Intuitive control panel - Automatic feeder for fiches and flap for inserting playing cards or dices - Safety Stop (open door/bin full) - Automatic anti-jamming System.



Model	Article Code	Shred Size	Weight (lb)	Shreddable Material
Kobra GAMBLER	99.956	31/64 x 25/32 inch (gaming pieces), 31/64 x 25/32 to 3 15/32 inch (playing cards)	310	Dices, Chips, Playing cards, Gaming tokens.

KOBRA FLEXPACK Eco-friendly cardboard recycling machines

- **Throat width:** 17 inch
- **Power:** 0.8 HP (Flexpack Desktop), 2.9 HP (Flexpack)
- **24 Hour** continuous duty motor
- **Main Features:** Simultaneously cuts and perforates corrugated cardboard producing high-quality packaging material - Chain drive system with steel gears - Adjustable scale width to optimize the packaging material - Automatically cuts carton larger than the entry throat.



Model	Article Code	Entry height	Grid dimension	Weight (lb)	Dimensions
Kobra FLEXPACK Desktop	99.949	up to 0.45 inch	15/64 x 2 23/64 inch	90	25 x 14.5 x 13 inch
Kobra FLEXPACK	99.947	up to 0.8 inch	3/16 x 3 15/16inch	310	27 x 20 x 46 inch
Option	Option Code	Description			Available for
<i>Kobra DCS-500</i>	99.948	<i>Complete dust collection system, including vacuum motor, to provide dust free padding mats for clean packagings.</i>			<i>Kobra Flexpack</i>
<i>Kobra Vacuum kit</i>	51.729	<i>Inner vacuum kit (vacuum motor excluded).</i>			<i>Kobra Flexpack</i>

KOBRA WASTE Waste Sorting Modular System

- **Bin capacity:** 15,85 gallons
- **Dimensions:** 13.4 x 13.6 x 27.8 inch
- **Weight:** 14.8 lb
- **Main Features:** Elegant design - Different graphics and colors help to separate types of waste - Magnets for easy joining of more bins to each other - Easy to clean - Tilting opening of the lid for quick replacement of the bag - Sable container made of robust materials 100% recyclable.



Model	Article Code	Lid color / Hole type	Type of waste
Kobra WASTE Gray	WA-99.005	Gray / Round	Unsorted waste
Kobra WASTE Yellow	WA-99.006	Yellow / Round	Plastic
Kobra WASTE Blue	WA-99.007	Blue / Oval	Paper
Kobra WASTE Green	WA-99.008	Green / Two round	Glass
Kobra WASTE Red	WA-99.019	Red / Two round	Metal
Kobra WASTE Brown	WA-99.022	Brown / Round, closed	Food waste (organic)
Option	Option Code	Description	Available for
<i>Waste bags</i>	WA-99.100.	<i>Available: waste bags made with recycled materials 100% recyclable (box of 100 bags).</i>	<i>All Kobra WASTE models.</i>

SECURITY LEVELS

ISO/IEC 21964 (DIN 66399) & data carrier classification



Data in Original Size on: Paper, Printout, films, printing plates etc.		
P-1 Stripe width max 12 mm	P-3 Cross Cut < 320 mm ²	P-6 Cross Cut < 10 mm ²
P-2 Stripe width max 6 mm	P-4 Cross Cut < 160 mm ²	P-7 Cross Cut < 5 mm ²
	P-5 Cross Cut < 30 mm ²	



Data on Optical Carriers: CDs, DVDs etc.		
O-1 Cross Cut < 2000 mm ²	O-3 Cross Cut < 160 mm ²	O-6 Cross Cut < 5 mm ²
O-2 Cross Cut < 800 mm ²	O-4 Cross Cut < 30 mm ²	O-7 Cross Cut < 0,2 mm ²
	O-5 Cross Cut < 10 mm ²	



Data on Magnetic Carriers: Credit Cards, Floppy Disks, ID Cards, Magnetic Tape Cassettes, etc.		
T-1 Mechanically inoperable	T-3 Cross Cut < 320 mm ²	T-6 Cross Cut < 10 mm ²
T-2 Cross Cut < 2000 mm ²	T-4 Cross Cut < 160 mm ²	T-7 Cross Cut < 2,5 mm ²
	T-5 Cross Cut < 30 mm ²	



Data on electronic data carriers: Memory Sticks, Chip cards, Semiconductor Hard Drives, mobile communication media, etc.		
E-1 Mechanically/ Electronically inoperable	E-3 Cross Cut < 160 mm ²	E-6 Cross Cut < 1 mm ²
E-2 Split	E-4 Cross Cut < 30 mm ²	E-7 Cross Cut < 0,5 mm ²
	E-5 Cross Cut < 10 mm ²	



Reduced size data on: micro-films and foils		
F-1 Cross Cut < 160 mm ²	F-3 Cross Cut < 10 mm ²	F-6 Cross Cut < 0,5 mm ²
F-2 Cross Cut < 30 mm ²	F-4 Cross Cut < 2,5 mm ²	F-7 Cross Cut < 0,2 mm ²
	F-5 Cross Cut < 1 mm ²	



Data on Hard Disks (with magnetic data carriers)		
H-1 Mechanically/ Electronically inoperable	H-3 Deformed	H-6 Cross Cut < 10 mm ²
H-2 Damaged	H-4 Cross Cut < 2000 mm ²	H-7 Cross Cut < 5 mm ²
	H-5 Cross Cut < 320 mm ²	



KOBRA products are built with the highest quality materials according to ISO 9001:2015 standards.



ELCOMAN SRL

Via Gorizia, 9 - 20813 Bovisio Masciago (MB) - Italy
Tel +39 0362 593584 - Fax +39 0362 591611
Email: kobra@elcoman.it

*Technical data as of April 2026.
Specifications in this publication may be subject
to change without notice.*