

# KOBRA<sup>®</sup> *FLEXPACK*







[www.kobra.com](http://www.kobra.com)

MADE IN ITALY

# KOBRA FLEXPACK DESKTOP

Eco-friendly cardboard recycling machine  
Industrial Line

**NEW**

			
Entry height (mm) <b>11</b>	Throat (mm) <b>427</b>	Dimensions (cm) <b>63x37x33</b>	Continuous duty motor



**KOBRA FLEXPACK Desktop** and **KOBRA FLEXPACK transform used cardboard boxes into packaging material** either as a packing and cushioning material or as a filling material for safe deliveries of any product.

**Do not use plastic packaging anymore! Recycle your cardboards.**



- Kobra FlexPack Desktop simultaneously cuts and perforates cardboard to **create high-quality packaging material**. This will help to save costs, time and to protect the environment.
- An **adjustable working width with scale** enables the user to optimize the measure of the packaging material according to the sizes of the boxes. Moreover, it has a large and convenient carton support table ensuring easy operation.
- **Automatically cuts** carton of larger size than entry throat up to 70kg/hour.
- The unit produces **very low noise level on a 24-hour continuous duty operation** and carries a very high-efficiency motor that can save considerable electrical energy cost. It plugs into a standard 230 Volt outlet.
- **Super Potential Power Unit:** chain drive system with steel gears.
- It stands out for its sturdy and robust Kobra power unit and for its Kobra **high carbon grade steel cutting knives**.
- Easy to lift and carry thanks to the **handles** on both sides.
- **Rubber feets** to ensure a stable and non-slip support.



*Easy to use, adjustable working width. Automatically cuts carton of larger size than entry throat.*



*Chain drive with steel gears.*



*Flexible high quality packing material from corrugated cardboards.*







*Pack and protect your objects in the best, safest and cheapest way.*

Model	Article code	Throat width	Entry height	Grid dimension
<b>KOBRA FLEXPACK Desktop</b>	99.949	427 mm	11 mm	6 x 60 mm

# KOBRA FLEXPACK

## Eco-friendly cardboard recycling machine

### Industrial Line

			
Entry height (mm)	Throat (mm)	Dimensions (cm)	Continuous duty motor
20	427	70x51x117	

- Kobra FlexPack simultaneously cuts and perforates cardboard to **create high-quality packaging material**. This will help to save costs, time and to protect the environment.
- The **cushioning volume of the output is adjustable** through a specifically designed tension system.
- Kobra FlexPack has an **adjustable working width with scale** enabling the user to optimize the measure of the packaging material according to the sizes of the boxes. Moreover, it has a large and convenient carton support table ensuring easy operation.
- **Automatically cuts** carton of larger size than entry throat up to 250Kg/hour.
- Kobra FlexPack carries the latest **Touch Screen Technology**: it utilizes a remarkable touch screen keypad where functions are activated by simply touching the panel. FlexPack also shows a **LED load meter** indicating the work load on the machine.
- Kobra FlexPack is equipped with an **hour meter** to help keep records of scheduled cleaning, maintenance and usage time intervals. This standard feature also helps with filter replacement schedule on machines equipped with the **optional DCS-500 system**.
- The unit produces **very low noise level on a 24-hour continuous duty operation** and carries a very high-efficiency motor that can save considerable electrical energy cost. It plugs into a standard 230 volt outlet.
- **Super Potential Power Unit**: chain drive system with steel gears.
- It stands out for its sturdy and robust Kobra power unit and for its Kobra **high carbon grade steel cutting knives**.
- Kobra FlexPack is equipped with an **emergency off switch** for user safety.
- It is a stand-alone/free standing unit, easy to move, equipped with **castors and parking brake**.



Easy to use, adjustable working width. Automatically cuts carton of larger size than entry throat.



Chain drive with steel gears.



Pack and protect your objects in the best, safest and cheapest way.



**OPTION: Kobra DCS-500 complete dust collection system including vacuum motor.**

Model	Article code	Throat width	Entry height	Grid dimension
<b>KOBRA FLEXPACK</b>	99.947	427 mm	20 mm	5 x 100 mm

Option	Code	Description
<b>KOBRA DCS-500</b>	99.948	<b>Complete dust collection system including vacuum motor</b> , to provide dust free padding mats for clean packagings
<b>KOBRA Vacuum kit</b>	51.729	Inner vacuum kit ( <i>vacuum motor excluded</i> )





**ELCOMAN SRL**

Via Gorizia, 9 - 20813 Bovisio Masciago (MB) - Italy  
Tel +39 0362 593584 - Fax +39 0362 591611  
Email: kobra@elcoman.it

KOBRA products are built with the highest quality materials according to ISO 9001:2015 Standards.



CB



CE

Intertek

Technical data as of May 2023. Specifications in this publication may be subject to change without notice.

Authorized Dealer